



CounterTop ovens

PizzaMaster® 350, 400, 450 and 550 series

Multi Purpose CounterTop ovens

COMPACT, versatile and high efficient – stone hearth ovens

Available
fronts in
polished
stainless
steel:



Classic Silver
standard



Royal Gold
option



Phantom Black
option



PM 350 series

PizzaMaster® 350 series
internal dimensions:

Depth 355 mm / 14in

Available widths:

355 mm - 710 mm

/ 14 in – 28 in



Model shown: PM 352ED

PM 400 series

PizzaMaster® 400 series
internal dimensions:

Depth 410 mm / 16 in

Available widths:

410 mm – 820 mm

/ 16 in – 32 in



Model shown: PM 402ED-1

PM 450 series

PizzaMaster® 450 series
internal dimensions:

Depth 460 mm / 18 in

Available widths:

460 mm – 920 mm

/ 18 in – 36 in



Model shown: PM 452ED

PM 550 series

PizzaMaster® 550 series
internal dimensions:

Depth 535 mm / 21 in

width 535 mm / 21 in



Model shown: PM 552ED-2

Standard equipment

- ☒ Digital control panel
- ☒ Turbo-start function
- ☒ Stepless top and bottom heat controls
- ☒ Timer with manual shut-off alarm
- ☒ Automatic timer with alarm
- ☒ Strong, well-borne door with ergonomic handle and big window
- ☒ Brushed stainless-steel exterior
- ☒ Double halogen lighting per chamber
- ☒ Indicators for thermostat, turbo-start and service
- ☒ Extra hearthstone



CounterTop ovens Practical accessories



PM 351ED-1 made in Phantom Black



PM 351ED-1 made in Royal Gold



Support PM 451-S equipped with Shelf support package SP-1

☐ Royal Gold or Phantom Black polished stainless steel

Today many restaurants have an open kitchen and many times the oven is at focus. Our designers and engineers has worked together to create a unique option that will change the way we look at professional ovens. **Royal Gold or Phantom Black is an exterior optional that is a designers dream. A PizzaMaster® with this exclusive and unique design will be the jewel and centre piece in any restaurant.**

☐ Marine Application

All PizzaMaster® CounterTop ovens can be adjusted for installation and operation in a marine environment. We can also supply the ovens with any preferred voltage.

☐ High temperature version - XTREME Performance

**932°F
500°C
XTREME
PERFORMANCE**

Special 500° C / 932° F version makes it possible to bake special type of pizza like Napoli style, high temperature breads or other products that require a very high baking temperature.

☐ Steam Option / Bakery version

All our ovens can be used as a bakery oven standard equipped with hearth stones. A powerful steam generator, placed and controlled on each deck. It is also possible to connect the oven to an extern steam generator.

☐ Underbuilt cabinet for convenience and hygiene

Every PizzaMaster® oven can be equipped with a highly versatile underbuilt cabinet. The shelf supports and dividers in the cabinet can be adjusted almost infinitely, so that you can exploit the storage space optimally and use different sizes of tray and pizza pans at the same time. **The PizzaMaster® underbuilt cabinet can also be supplied as a proving cabinet**

☐ Stainless steel Support

Very practical support all made in stainless steel make the placement for each CounterTop oven very easy. The support come as standard with two shelves and lockable castors. It has smooth surfaces and is very easy to clean. As an optional extra the support can be fitted with a shelf support system. **We have made for each support a shelf support package that will fit most applications, see table below. If further storage space is necessary it is possible to add more shelf support packages. Contact your nearest PizzaMaster® representative for further information regarding.**



PizzaMaster® CounterTop series - Support

Models	Dimensions in millimetres Width x Depth x Height	Dimensions in inches Width x Depth x Height	Shelf support package
PM 351-S	595 x 600 x 900	23.4 x 23.6 x 35.4	SP-1
PM 352-S	595 x 600 x 750	23.4 x 23.6 x 29.5	SP-2
PM 401-S	650 x 600 x 900	25.6 x 23.6 x 35.4	SP-1
PM 402-S	650 x 600 x 750	25.6 x 23.6 x 29.5	SP-2
PM 451-S	700 x 650 x 900	27.6 x 25.6 x 35.4	SP-1
PM 452-S	700 x 650 x 750	27.6 x 25.6 x 29.5	SP-2
PM 501-S	775 x 725 x 900	30.5 x 28.6 x 35.4	SP-1
PM 502-S	775 x 725 x 750	30.5 x 28.6 x 29.4	SP-2
PM 351DW-S	950 x 600 x 900	37.4 x 23.6 x 35.4	SP-1DW
PM 352DW-S	950 x 600 x 750	37.4 x 23.6 x 29.5	SP-2DW
PM 401DW-S	1060 x 600 x 900	41.7 x 23.6 x 35.4	SP-1DW
PM 402DW-S	1060 x 600 x 750	41.7 x 23.6 x 29.5	SP-2DW
PM 451DW-S	1160 x 650 x 900	45.7 x 25.6 x 35.4	SP-1DW
PM 452DW-S	1160 x 650 x 750	45.7 x 25.6 x 29.4	SP-2DW



PizzaMaster® CounterTop series - Standard width

Models	Dimensions in millimetres Width x Depth x Height		Dimensions in inches Width x Depth x Height		Independent chambers per oven	Hearth- stones per oven	Power kW
	External	Internal (per hearthstone)	External	Internal (per hearthstone)			
PM 351ED	595 x 545 x 500	355 x 355 x 195 (1 pcs)	23.4 x 21.5 x 19.7	14.0 x 14.0 x 7.7 (1 pcs)	1	1	2.25
PM 351ED-1		355 x 355 x 85 (2 pcs)		14.0 x 14.0 x 3.4 (2 pcs)		2	3.35
PM 352ED	595 x 545 x 800	355 x 355 x 195 (2 pcs)	23.4 x 21.5 x 31.5	14.0 x 14.0 x 7.7 (2 pcs)	2	3	4.50
PM 352ED-1 1)		355 x 355 x 195 (1 pcs) 355 x 355 x 85 (2 pcs) 1)		14.0 x 14.0 x 7.7 (1 pcs) 14.0 x 14.0 x 3.4 (2 pcs) 1)		4	5.60
PM 352ED-2		355 x 355 x 85 (4 pcs)		14.0 x 14.0 x 3.4 (4 pcs)			6.70
PM 401ED		410 x 410 x 195 (1 pcs)		16.1 x 16.1 x 7.7 (1 pcs)			3.05
PM 401ED-1	650 x 600 x 500	410 x 410 x 85 (2 pcs)	25.6 x 23.6 x 19.7	16.1 x 16.1 x 3.4 (2 pcs)	1	2	4.55
PM 402ED	650 x 600 x 800	410 x 410 x 195 (2 pcs)	25.6 x 23.6 x 31.5	16.1 x 16.1 x 7.7 (2 pcs)	2	3	6.10
PM 402ED-1 1)		410 x 410 x 195 (1 pcs) 410 x 410 x 85 (2 pcs) 1)		16.1 x 16.1 x 7.7 (1 pcs) 16.1 x 16.1 x 3.4 (2 pcs) 1)		4	7.60
PM 402ED-2		410 x 410 x 85 (4 pcs)		16.1 x 16.1 x 3.4 (4 pcs)			9.10
PM 451ED		460 x 460 x 195 (1 pcs)		18.1 x 18.1 x 7.7 (1 pcs)			3.63
PM 451ED-1	700 x 650 x 500	460 x 460 x 85 (2 pcs)	27.6 x 25.6 x 19.7	18.1 x 18.1 x 3.4 (2 pcs)	1	2	5.42
PM 452ED	700 x 650 x 800	460 x 460 x 195 (2 pcs)	27.6 x 25.6 x 31.5	18.1 x 18.1 x 7.7 (2 pcs)	2	3	7.26
PM 452ED-1 1)		460 x 460 x 195 (1 pcs) 460 x 460 x 85 (2 pcs) 1)		18.1 x 18.1 x 7.7 (1 pcs) 18.1 x 18.1 x 3.4 (2 pcs) 1)		4	9.05
PM 452ED-2		460 x 460 x 85 (4 pcs)		18.1 x 18.1 x 3.4 (4 pcs)			10.84
PM 551ED		535 x 535 x 195 (1 pcs)		21.1 x 21.1 x 7.7 (1 pcs)			4.41
PM 551ED-1	775 x 725 x 500	535 x 535 x 85 (2 pcs)	30.5 x 28.5 x 19.7	21.1 x 21.1 x 3.4 (2 pcs)	1	2	5.59
PM 552ED	775 x 725 x 800	535 x 535 x 195 (2 pcs)	30.5 x 28.5 x 31.5	21.1 x 21.1 x 7.7 (2 pcs)	2	3	8.77
PM 552ED-1		535 x 535 x 195 (1 pcs) 535 x 535 x 85 (2 pcs)		21.1 x 21.1 x 7.7 (1 pcs) 21.1 x 21.1 x 3.4 (2 pcs)		4	10.95
PM 552ED-2		535 x 535 x 85 (4 pcs)		21.1 x 21.1 x 3.4 (4 pcs)			13.13

1) These models has one chamber with 2 hearthstones and one chamber with 1 hearthstone. The additional hearthstone can be positioned either in the upper or in the lower chamber. Indicate with your order in which chamber you prefer your additional hearthstone.



PizzaMaster® CounterTop series - Double width

Models	Dimensions in millimetres Width x Depth x Height		Dimensions in inches Width x Depth x Height		Independent chambers per oven	Hearth- stones per oven	Power kW
	External	Internal (per hearthstone)	External	Internal (per hearthstone)			
PM 351ED-DW	950 x 545 x 500	710 x 355 x 195 (1 pcs)	37.4 x 21.5 x 19.7	28.0 x 14.0 x 7.7 (1 pcs)	1	1	4.45
PM 351ED-1DW		710 x 355 x 85 (2 pcs)		28.0 x 14.0 x 3.4 (2 pcs)		2	6.65
PM 352ED-DW	950 x 545 x 800	710 x 355 x 195 (2 pcs)	37.4 x 21.5 x 31.5	28.0 x 14.0 x 7.7 (2 pcs)	2	3	8.90
PM 352ED-1DW 1)		710 x 355 x 195 (1 pcs) 710 x 355 x 85 (2 pcs) 1)		28.0 x 14.0 x 7.7 (1 pcs) 28.0 x 14.0 x 3.4 (2 pcs) 1)		4	11.10
PM 352ED-2DW		710 x 355 x 85 (4 pcs)		28.0 x 14.0 x 3.4 (4 pcs)			13.3
PM 401ED-DW		820 x 410 x 195 (1 pcs)		32.3 x 16.1 x 7.7 (1 pcs)			12.10
PM 401ED-1DW	1060 x 600 x 500	820 x 410 x 85 (2 pcs)	41.7 x 23.6 x 19.7	32.3 x 16.1 x 3.4 (2 pcs)	1	2	9.05
PM 402ED-DW	1060 x 600 x 800	820 x 410 x 195 (2 pcs)	41.7 x 23.6 x 31.5	32.3 x 16.1 x 7.7 (2 pcs)	2	3	15.10
PM 402ED-1DW 1)		820 x 410 x 195 (1 pcs) 820 x 410 x 85 (2 pcs) 1)		32.3 x 16.1 x 7.7 (1 pcs) 32.3 x 16.1 x 3.4 (2 pcs) 1)		4	18.10
PM 402ED-2DW		820 x 410 x 85 (4 pcs)		32.3 x 16.1 x 3.4 (4 pcs)			21.58
PM 451ED-DW		920 x 460 x 195 (1 pcs)		36.2 x 18.1 x 7.7 (1 pcs)			7.21
PM 451ED-1DW	1160 x 650 x 500	920 x 460 x 85 (2 pcs)	45.7 x 25.6 x 19.7	36.2 x 18.1 x 3.4 (2 pcs)	1	2	10.79
PM 452ED-DW	1160 x 650 x 800	920 x 460 x 195 (2 pcs)	45.7 x 25.6 x 31.5	36.2 x 18.1 x 7.7 (2 pcs)	2	3	14.42
PM 452ED-1DW 1)		920 x 460 x 195 (1 pcs) 920 x 460 x 85 (2 pcs) 1)		36.2 x 18.1 x 7.7 (1 pcs) 36.2 x 18.1 x 3.4 (2 pcs) 1)		4	18.00
PM 452ED-2DW		920 x 460 x 85 (4 pcs)		36.2 x 18.1 x 3.4 (4 pcs)			21.58

1) These models has one chamber with 2 hearthstones and one chamber with 1 hearthstone. The additional hearthstone can be positioned either in the upper or in the lower chamber. Indicate with your order in which chamber you prefer your additional hearthstone.